# Mission Critical Experience

CONXTECH®



## The Structural Steel Building System That is Simply Better for Mission Critical Applications.

ConXtech<sup>®</sup> is a building technology company that offers an innovative, mass customizable, structural steel framing system. Often referred to as a "Full-Scale Erector Set," ConXtech enables rapid design and delivery of robust, yet affordable steel structures that meet even the most demanding seismic design and building code requirements. ConXtech provides both fabrication and erection services and has access to a global network of ConXtech Fabricators & Erectors.

For nearly two decades, ConXtech has teamed with high-profile clients to design and deliver innovative structures that improve safety and accelerate schedules while reducing Total Installed Costs (TIC).

### We Are ConXtech: This is Our Story - Video Link







## The Structural Steel Building System That is Simply Faster, Simply Safer & Simply Proven.

ConXtech<sup>®</sup> is a building technology company that offers an innovative, mass customizable, structural steel framing system. Often referred to as a "Full-Scale Erector Set," ConXtech enables rapid design and delivery of robust, yet affordable steel structures that meet even the most demanding seismic design and building code requirements. ConXtech provides both fabrication and erection services and has access to a global network of ConXtech Fabricators & Erectors.

For nearly two decades, ConXtech has teamed with high-profile clients to design and deliver innovative structures that improve safety and accelerate schedules while reducing Total Installed Costs (TIC).

### Recent Medical Office Building Erection in Washington State - Video Link





The ConXL System addressed the client's need for a robust, long-span steel data center steel frame delivered costeffectively and with increased speed to market.



### V6 Data Cente

To solve the problem of future configurability, upgrades, and mechanical system routing, the lack of shear walls in this instance allowed for a fully open and reconfigurable floor plan. The ConXL System also delivered a solution for the highly concentrated floor loadings (275 psf) required with unparalleled structural efficiency.

### System for Data Centers:

ConXtech offers a variety of approaches for the Mission Critical sector. The first is our SMF (Special Moment Frame) option. The second is our hybrid approach that combines our FMC (Flexible Moment Connection) with standard bracing. Depending on the location, building demands, and specifications, ConXtech will offer the most efficient, highest-performing, and cost-effective structure to meet our clients' needs. In both instances, speed to market is our superpower.

### **ConXtech Systems & Primary Markets**



Assembly Rate:	8,000 sqft p	
Markets:	<ul> <li>HD Residential</li> <li>Hospitality</li> <li>Industrial</li> <li>Mezzanine</li> <li>Student &amp; Senior Housing</li> </ul>	<ul> <li>In</li> <li>Ci</li> <li>N</li> <li>N</li> <li>H</li> <li>N</li> </ul>

### **Turnkey Approach**





### Design

- In-House professional engineering capacity offers robust design-assist support from concept though plan check
- Standardized connection design allows engineers to focus on other critical path items

### Fabricate

- - multiple locations



- Specialized fixturing = fewer defects
- Reduced inspection costs
- High-Accuracy fabrication vields precision fit in the field
- Flexible fabrication capabilities across

### Erect

- 2x 5x faster assembly than other construction methods
- 50% reduction of field labor for "assembly" of structure
- · Reduced risk for client
- · Rapid turn-over of critical path


### Technical Summary: OSHPD Approval

### **Approval Process**


The ConXL connection is qualified as a Special Moment Frame connection for use in hospital environments with the California Office of Statewide Health Planning and Development (OSHPD).

OSHPD observed the successful completion of three full scale biaxial tests, which met OSHPD's test protocol designed specifically for ConXtech's connection. ConXtech also completed 3 additional tests following this protocol for AISC CPRP qualification. This qualification is unique as no other steel moment frame has undergone cyclic testing while simultaneously being subjected to a constant orthogonal load equal to 100% of the probable maximum moment (Mpr) of the primary beams. This unprecedented bi-axial testing proved the unique capabilities of the ConXtech moment connection, the only standardized true bi-axial moment connection in the steel framing market today.

#### Applied Column Load vs. Interstory Drift Angle W30x108xRBS - BOX16x16x1.25



### Applied Column Load vs. Interstory Drift Angle Concrete-Filled PJP BOX 16x16x1.25 with Thickened Haunch at Base



### AISC Pre-Qualified Connection




## I

### **Technical Summary**

ConXtech's ConXL connection has been through a rigorous qualification review process conducted by the AISC 358 - Connection Prequalification Review Panel (CPRP). ConXL was approved through this process and has been incorporated as Chapter 10 in the 2010 AISC 358 code book, Pre-qualified Connections for Special and Intermediate Steel Moment Frames for Seismic Applications.

ConXtech completed six successful tests of its moment connection for the CPRP under the unprecedented biaxial test protocol which subjected the ConXL connection to the typical Seismic Provisions cyclic loading while simultaneously subjecting the connection to a constant orthogonal load equal to 100% of the probable maximum moment (Mpr) of the primary beams. No other steel framing connection has been subjected to this type of loading as the ConXtech connections are the only standard bi-axial steel moment connections in the market today.

AISC's CPRP reviews connection test data and pre-qualifies connections in accordance with the AISC Seismic Provisions. The connections that gain approval of the AISC CPRP reviews are considered a pre-qualified connection standard. A moment connection pre-qualified by the AISC CPRP provides the most recognized and direct method of satisfying the Seismic Provision's conformance demonstration requirements for SMF and IMF connections and simplifies the project approval process for this class of buildings.






Is an AISC Prequalified Connection for Special and Intermediate Steel Moment Frames for Seismic Applications

## ConXtech: A Unique Accelerator in the Structural Engineer's Toolkit

Percent of Projects with Prefabricated Single Trade Assemblies

(Past 3 Years and Next 3 Years by Type of Company)



Prefabricated and modular methods of construction are not new, but their use is surging across the global construction sector. Global markets have experienced a significant uptick in demand for everything from pre-manufactured assemblies to volumetric modular apartments built offsite. Real estate developers are driving much of the sector's growth, hoping to achieve faster construction schedules that produce earlier revenue and lower overall carrying costs. In their 2019 report, Modular construction: From projects to products, McKinsey researchers brought wide attention to the positive impacts of offsite construction manufacturing finding that certain forms have a consistent track record of accelerating project timelines by 20% to 50%.

Offsite constructed systems range from prefabricated roof trusses to fully-finished, factory-built housing units, and the use of such systems is on the rise. In a report published by Dodge Data & Analytics, Prefabrication and Modular Construction 2020, 31% of engineers and architects, and 58% of general contractors reported that using some form of prefabrication meaningfully improved overall project timelines. Almost 70% of architects and general contractors in the Dodge study anticipated specifying single-trade prefabrication over the next 3 years.

>75% of Projects 50-75% of Projects

In addition to project schedule acceleration, moving complex building assemblies into a controlled factory environment promotes improved safety, sustainability, and quality metrics.


## Structural Solutions That Are Simply Faster


Early-procurement solutions like those offered by ConXtech are a powerful tool in an engineer's design toolkit, offering an unparalleled way to accelerate construction schedules while offering broad design flexibility. ConXtech is a strong solution for buildings from 2 to 8 stories, and the flexibility of the system's kit of parts offers a wide range of structural configurations suitable for anything from schools, healthcare, apartments, and hotels to data centers, biotech applications, and aerospace facilities.


For the right building projects, a ConXtech structural solution can speed up building framing by 3-5x, and ensures greater accuracy both during the design and construction phase of a project. The unique "lower and lock" erection method facilitated by ConXtech collars reduce or eliminate on-site welding, and the precision of its components can reduce project risk and provide a meaningful return on investment for developers and building



(Percentages Reporting Each of Three Levels of Improvement)










Decreased by >10% Decreased 5-10% Decreased <5%

### ConXtech vs. Conventional Construction:

- Magnitude of savings is proportionate to magnitude of project
- On average, Conxtech is 67% faster






The economic impact of these schedule savings is substantial. On a recently constructed data center project, one client analyzed the economic benefit of using ConXtech on his project.


## Time is Money:

#### Value Per Week Saved in Construction

Leasing Revenue Financing/Carrying Costs General Conditions



### Unlimited Design and Engineering Possibilities



### Why ConXtech is Faster

Streamline method of erection Built-up is Built-in

#### Traditional

Multiple people per joint in precarious positions



#### Billboard/X-tree Installation speeds assembly time

#### Traditional

Tiered Erection – mired in redundancy



### No lost time to inspections, testing and reworking

#### Traditional

Field weld testing/inspection leading to re-work



### CONXTECH



### Conxtech

Work out of man-basket, only one person needed at joint to easily lower and lock into place (not even one man...only one hand)





### Conxtech

Billboarding – instant stability +fewer "at risk" hours onsite



### Conxtech

ConX simplifies inspection



### Factory & Jobsite Integration

### Benefits

Increased Labor Productivity

Less Waste

Highly Skilled Workforce

Improved Jobsite Efficiency

Quality Control

Advanced Technology

### End-to-end LEAN process, from manufacturing through erection.

Shifting labor from the jobsite to the factory.

Extending factory precision to the jobsite


Labor Productivity Increases by 30% on Offsite Projects




Offsite

## **Critical Path Impact**


- ConXtech impacts critical path directly
- We are the only subcontractor that can reliably claim schedule savings
- Following the completion of ConXtech's scope, multiple subcontractors begin working simultaneously effecting each others' critical path







### Safer Steel Erection Sequencing

- Crew works out of baskets, not walking the steel
- Beams drop into place ٠ less than 6 secs
- Smaller crew size + less labor hours = Less exposure to risk







### Industry leading interstate EMR


ConXtech's riggers and connectors work from the safety of high reach mobile work platforms operating in delineated fall hazard exclusion areas, enabling them to quickly and safely move from work point to work point.

### CONXTECH




Source: McGraw Hill

Onsite



**Total Labor Hours** 






# Data Center Experience

### **Mission Critical**

ConXtech's Brace Frame is an ideal structural solution for Data Center applications offering accelerated installation schedules as well as simplified layout and future programmability.

Schedule	<ul> <li>2x-5x faster than conventional steel and concrete</li> <li>Accelerated schedule from concept through construction</li> <li>Accelerated approvals</li> </ul>		
Safety	<ul> <li>50% reduction in field labor- fewer "at-risk" hours</li> <li>"Lower and locking" connection provide instant stability and alignment prior to bolt-up</li> <li>Erection done from aerial baskets</li> <li>Precision fabrication translates to repeatable standard work and perfect fit in field</li> </ul>		
Cost	<ul> <li>Up to 10% lower structural system cost vs conventional steel (incl savings in GC/GRs) depending on region</li> <li>Reduced carrying costs and interest reserves required for development financing</li> <li>Easy integration of other trades due to standard, modular componentry</li> </ul>		
Asset Value	<ul> <li>Increased schedule leads to faster occupancy</li> <li>Safer, higher performance facilities</li> <li>Lower overall risk and greater predictability due to systems approach</li> <li>Reduced Noise, on-site waste, and disruption to neighboring facilities</li> <li>Flexible structural system is easy to customize</li> </ul>		
Use Cases	<ul> <li>Projects that are schedule driven: "WE WILL GIVE YOU A MONTH!"</li> <li>Projects that require schedule certainty: "CONXTECH HAS NOT MISSED A SCHEDULE EVER"</li> <li>Projects that require pricing certainty: "AS A MODULAR SYSTEM WE CAN GIVE YOU A DEFINITIVE PRICE (+/- escalation) FOR YOUR CLIENT!"</li> </ul>		





within the ConX Structural Steel Platform, please contact us at info@conxtech.com or visit conxtech.com

### CONXTECH Simply Faster



### Coresite LA-3 Data Center

### **PROJECT NARRATIVE**

The Coresite LA3 project is a 4 story Data Center with a rooftop mechanical platform. This 180,000+ Sq.Ft. data center building offers a robust, long-span steel data center frame devoid of shear walls and bracing which provides for a fully open floor plan for interior buildouts. This building will serve our clients' needs for data storage solutions to keep up with the everchanging technology business requirements.


### **CONX SOLUTIONS**

The ConXL System addressed CoreSite's need for a robust, longspan steel data center frame deliveredcost-effectively and with increased speed to market. Although the ConXL System was utilized in the main frame of the structure, the ConXR System was also used on the roof to support cooling towers and for framing the canopy located in the building's lobby. The structure also features a louver support frame using our elevator guide rail and roof screen details. The 90-foot columns were fabricated, shipped and erected at full-height which is both more time and cost effective. ConXL's inherent lack of shear walls and bracing allow for a fully open and reconfigurable floor plan which provides ultimate flexibility for mechanical system routing and future upgrades.



#### **CONTACT US**

ConXtech, Inc. 6600 Koll Center Parkway, Suite 210, Pleasanton, CA 94566 E-mail: info@conxtech.com | Phone: 510-264-9111 | www.ConXtech.com



### **PROJECT DATA**

Square Footage	180,000 ft <sup>2</sup>
Steel Assembly Duration	28 Days
Number of Collars	279
Bay Spacing	30'-0"
Structure Weight	1,750 tons

**STAKEHOLDERS** 

Owner	CoreSite
Architect	DCM
Engineer	John A.Martin & Associates (JAM)
Contractor	DPR Construction
Steel Fabricator	ConXtech/ /Thai Herrick
Steel Erector	ConXtech Construction
ConXtech Scope	Structural Steel, Mechanical Platform, Stairs & Elevator



CONXL 400

### CONXTECH Simply Faster

### CONTACT US

ConXtech, Inc. 6600 Koll Center Parkway, Suite 210, Pleasanton, CA 94566 E-mail: info@conxtech.com | Phone: 510-264-9111 | www.ConXtech.com



### **Coresite SV-4 Data Center**

### **PROJECT NARRATIVE**

The ConXL System frame for this 100,000 ft<sup>2</sup> data center in Santa Clara, CA was erected in 9 working days. The building was designed to LEED Gold standards, featuring energy efficiency initiatives such as 97% efficient UPS units, variable frequency drive (VFD) cooling units, and air-side economization. The data center is part of CoreSite's 618,000 ft<sup>2</sup> campus at Coronado Drive and Stender Way.

#### **CONX SOLUTIONS**

The ConXL System addressed CoreSite's need for a robust, longspan steel data center frame delivered cost-effectively and with increased speed to market.

### **PROJECT DATA**

Square Footage	100,000 ft <sup>2</sup>
Steel Assembly Duration	9 Days
Number of Collars	64
Bay Spacing	28'-4" × 36"
Structure Weight	622 tons; 13 lbs./ft <sup>2</sup>

#### **STAKEHOLDERS**

Owner	CoreSite
Architect	DCM
Engineer	FBA Engineers
Contractor	MATT Construction
Steel Fabricator	ConXtech Manufacturing
Steel Erector	ConXtech Construction
ConXtech Scope	Structural Steel, Stairs, Metal Decking, Misc. Metals



	-	<u> </u>		-	_	-	_
S	Simp	oly F	as	te	r		







### Coresite SV-5 Data Center

### **PROJECT NARRATIVE**

This 101,250 ft<sup>2</sup> data center in Santa Clara, CA was erected in just 9 days. The structure is part of CoreSite's 618,000 ft<sup>2</sup> campus at Coronado Drive and Stender Way.

#### **CONX SOLUTIONS**

The ConXL System addressed CoreSite's need for a robust, longspan steel data center frame delivered cost-effectively and with increased speed to market. ConXL's inherent lack of shear walls and bracing allow for a fully open and reconfigurable floor plan which provides ultimate flexibility for mechanical system routing and future upgrades.



ConXtech's products and processes are patented. For more information, please see www.ConXtech.com/Patents. © 2000-2021 ConXtech, Inc. All rights reserved.



### **CONTACT US**

ConXtech, Inc. 6600 Koll Center Parkway, Suite 210, Pleasanton, CA 94566 E-mail: info@conxtech.com | Phone: 510-264-9111 | www.ConXtech.com



### **PROJECT DATA**

Square Footage	101,250 ft <sup>2</sup>
Steel Assembly Duration	9 Days
Number of Collars	88
Bay Spacing	30'-4" × 31"
Structure Weight	793 tons; 16 lbs./ft <sup>2</sup>

#### **STAKEHOLDERS**

Owner	CoreS	
Architect	DCM	
Engineer	FBA Engineers	
Contractor	Hathaway Dinwiddie	
Steel Fabricator	ConXtech Manufacturing	
Steel Erector	ConXtech Construction	
ConXtech Scope	Structural Steel, Stairs, Metal Decking,	





CONXL 400

### CONXTECH Simply Faster

### CONTACT US

ConXtech, Inc. 6600 Koll Center Parkway, Suite 210, Pleasanton, CA 94566 E-mail: info@conxtech.com | Phone: 510-264-9111 | www.ConXtech.com



### Coresite SV-6 Data Center

### **PROJECT NARRATIVE**

This 136,000 ft<sup>2</sup> data center in Santa Clara, CA was erected in just 9 days. The structure is part of CoreSite's 618,000 ft<sup>2</sup> campus at Coronado Drive and Stender Way.

### **CONX SOLUTIONS**

The ConXL System addressed CoreSite's need for a robust, long-span steel data center frame delivered cost-effectively and with increased speed to market. ConXL's inherent lack of shear walls and bracing allow for a fully open and reconfigurable floor plan which provides ultimate flexibility for mechanical system routing and future upgrades. The ConXL System also delivered a solution for the highly concentrated floor loadings (275 psf) required with unparalleled structural efficiency.

### **PROJECT DATA**

Square Footage	136,000 ft <sup>2</sup>	
Steel Assembly Duration	9 Days	
Number of Collars	164	
Bay Spacing	30'-4" × 31"	
Structure Weight	1,275 tons; 19 lbs./ft <sup>2</sup>	

### **STAKEHOLDERS**

Owner	CoreSite
Architect	DCM
Engineer	FBA Engineers
Contractor	MATT Construction
Steel Fabricator	ConXtech Manufacturing
Steel Erector	ConXtech Construction
ConXtech Scope	Structural Steel, Stairs, Metal Decking



### CONXTECH Simply Faster



### Coresite SV-7 Data Center

### **PROJECT NARRATIVE**

This 230,000 ft<sup>2</sup> data center in Santa Clara, CA was erected in just 15 days. The structure is part of CoreSite's 618,000 ft<sup>2</sup> campus at Coronado Drive and Stender Way.

#### **CONX SOLUTIONS**

The ConXL System addressed CoreSite's need for a robust, longspan steel data center frame deliveredcost-effectively and with increased speed to market. Although the ConXL System was utilized in the main frame of the structure, the ConXR System was also used on the roof to support cooling towers and for framing the canopy located in the building's lobby. The structure also features a louver support frame using our elevator guide rai and roof screen details. The 90-foot columns were fabricated, shipped and erected at full-height which is both more time and cost effective. ConXL's inherent lack of shear walls and bracing allow for a fully open and reconfigurable floor plan which provides ultimate flexibility for mechanical system routing and future upgrades.



ConXtech's products and processes are patented. For more information, please see www.ConXtech.com/Patents © 2000-2021 ConXtech, Inc. All rights reserved.



#### **CONTACT US**



ConXtech, Inc. 6600 Koll Center Parkway, Suite 210, Pleasanton, CA 94566 E-mail: info@conxtech.com | Phone: 510-264-9111 | www.ConXtech.com

### **PROJECT DATA**

Square Footage	230,000 ft <sup>2</sup>
Steel Assembly Duration	15 Days
Number of Collars	260
Bay Spacing	30'-4" × 31"
Structure Weight	2,046 tons; 17 lbs./ft <sup>2</sup>

**STAKEHOLDERS** 

g-		
	Owner	CoreSite
	Architect	DCM
	Engineer	FBA Engineers
	Contractor	MATT Construction
re ail	Steel Fabricator	ConXtech Manufacturing
	Steel Erector	ConXtech Construction
	ConXtech Scope	Structural Steel, Stairs, Metal Decking



CONXL 400

## Additional Project Experience





#### Fairfield, CA | OSHPD Hospital

This 78,130 ft2 hospital expansion is an OSHPD-licensed critical care facility in Northern California designed using the ConXL System. The scope includes a renovation of 9,000 ft2 of the existing Emergency Department, as well as a new 4,500 ft2 freestanding lobby. Diagnostic facilities, central sterile processing facilities, a kitchen and cafeteria, nursing units and surgical and imaging services are also included in the expansion.



#### Stanford, CA | Education

In the footprint once occupied by Kresge Auditorium, the new William H. Neukom academic building provides 65,000 sf of clinic, seminar, meeting and office space. It is efficient, smart, flexible, welcoming and value-engineered to reduce overall environmental impact. The structure has been built to satisfy the equivalent of a LEED® Gold Certification by meeting key sustainability requirements in the areas of site planning, water management, energy use, materials, resources, waste, indoor environmental quality, innovation and design.





1.2 million square feet complex consisting of office space and short-term employee accommodation units on 42 acres in Mountain View at the NASA Ames Research Center. Designed with a sweeping canopy roof, the sprawling tent-like roof encloses several discrete structures which help to regulate the internal climate. The multi-tiered canopy system captures water for reuse and holds solar panels which create roughly four megawatts of power. This project was selected as the "Silicon Valley Business Journal's Green Project Winner".





CONXTECH

	Owner	NorthBay Healthcare
	Contractor	Thornton Tomasetti Construction
	Engineer	Thornton Thomasetti
	Architect	Ratcliff Architects
3/1/	Туре	ConXL 400

Owner	Stanford University
Contractor	Dome Construction
Engineer	Degenkolb Engineers
Architect	Enread Architects
Туре	ConXL400

Owner	Confidential Silicon Valley Tech Owner
Contractor	Whiting-Turner
Engineer	Thornton Tomasetti
Architect	BIG + Heatherwick Studio
Туре	ConXL300

### ConXtech Leadership



Robert Paulk President

Captain Paulk, a 1984 graduate of the U.S. Naval Academy, retired in 2014 after 30 years of Active and Reserve naval service that culminated with three decorated command and overseas combat tours (2007-2012) in Afghanistan, Iraq, Kuwait, and the United Arab Emirates. In his private career, he has held numerous senior leadership positions in both large national and regional private businesses and nonprofit organizations.

Recently, he served as Pogue Construction's Chief Operations Officer (COO), a \$600 million general contractor located in McKinney, TX. During his 6 years as COO he led multiple key reorganization and staffing initiatives, corrected project ontime completion performance, and helped drive record annual revenues and profit in 2018, 2019, and 2020. Concurrently, Pogue Construction received regional and national recognition for construction volume and as a "best place to work."



Josh DeLehman Senior Director, Business Development

Mr. DeLehman joins ConXtech with 15 years of experience in engineering and construction for the energy, mining, and infrastructure industries. His roles have included senior positions in both Supply Chain Management and Business Development, with an emphasis on construction support services and manufacturing. A common thread in Mr. DeLehman's career has been risk mitigation through shifting work from the job site into controlled shop environments where certainty of cost, quality, schedule and safety are more readily achievable. This focus is expected to serve Mr. DeLehman well as he works to grow ConXtech's core business. Mr. DeLehman holds a Bachelor's of Science in **Business Administration from** the University of North Carolina at Chapel Hill's Kenan-Flagler Business School.



Adam Kurtenbach Vice President of Business Development

Adam Kurtenbach has been in the modular construction industry for over 20 years. He joins ConXtech from KATERRA, where he was most recently the Director of Business Development for the PNW. In this role, Adam was responsible for oversight of almost \$500 million in project sales. Previous to his stint at Katerra, Adam ran Business Development for Urban Edge Builders (UEB) where he helped establish their Seattle office and was involved in bringing the first high-rise to the University of Washington district in over 30 years; The M. Adam is a firm believer in the power of innovative, modular, sustainable building practices and their ability to change the built environment for the better. A long-time hockey and lacrosse coach and player, Adam believes in the parallels between these sports and the construction industry; namely, grind to succeed, be accountable every day, and team before individual.



Tony Pydych Director of Business Development

Tony brings over 25 years of client-centric design, preconstruction, and construction experience to ConXtech. He is a licensed Architect, AIA member and holds a General Contractor's license. Tony brings a multidisciplinary background and a pragmatic results-driven approach to ConXtech with an emphasis on developing positive and durable client & industry relationships.

Tony joined ConXtech from Walsh Group where he was the Director of Preconstruction & Design Manager for the Seattle Division. He previously worked for Katerra/UEB as Preconstruction Director, Perkins+Will and Callison Architecture as a Senior Project Architect, and he started his career working at Skilling Ward Magnusson Barkshire Engineering (currently named MKA).



Adam Browne S.E, P.E Chief Engineering Officer

As the CSEO, Mr. Browne is responsible for ConXtech's standardized calculations and design methodologies. He also provides technical recommendations and guidance to outside engineering firms working with the ConX System.

Mr. Browne is a licensed California structural engineer with over 20 years of experience. He has a bachelor's degree in mathematics from the University of California at Santa Cruz and studied structural engineering at San Francisco State University before joining the firm BFL/ OWEN in 1994. Before joining ConXtech in 2012, Mr. Browne was the EOR at FBA and Associates, responsible for the structural design on the first 2 million square feet of ConX structure. There, he was integral in establishing acceptability of the framing system with various building departments and jurisdictions.

As Vice President of Industrial Operations, Kevin is responsible for growing and executing work in the Process Industry, larger commercial markets such as data centers, and responsible for work with our international clients. Before coming to ConXtech, Kevin worked as a consultant in Project Management for a private company in Houston. Prior to that he spent ten years executing projects in the process industry that ranged in costs of \$50MM to \$3B. His responsibilities ranged from business development to engineering and design to project management. Kevin received his Bachelor's Degree in Civil Engineering from Texas Tech University and has worked in several different

Kevin received his Bachelor's Degree in Civil Engineering from Texas Tech University and has worked in several different markets prior to attending college. In his youth, he worked as a laborer and welder for companies like Fluor and smaller commercial companies.



Kevin Chambers Vice President of Industrial Operations



Stephen Boyd Vice President, Technology & Operations

As VP Technology, Stephen is responsible for ConXtech's core products, as well as the hardware, software, processes, and systems needed to successfully execute ConX-based projects. He is a passionate technology leader and innovator driving scalability for ConXtech's products and setting the stage for longterm growth. As one of the engineers responsible for the XL300 industrial system, Stephen has developed a deep knowledge of the ConXtech product portfolio and all of the underlying systems enabling its success. He has led crossfunctional engineers to drive product improvements and scalability that have enabled successful deployment and implementation of ConXtech technology.

With a Bachelor of Science Mechanical Engineering degree from Union College, Stephen's background gives him exposure across engineering disciplines.



CONXTECH®

conxtech.com/conx-portfolio/data-centers

## CONXTECH®

# Thank you.

For more information, please contact:

Adam Kurtenbach Vice President of Business Development (206) 379-4392 akurtenbach@ConXtech.com

Josh DeLehman Senior Director, Business Development (949) 572-8345 jdelehman@ConXtech.com

Kyle Wilson Director of Business Development (562) 826-7368 kwilson@ConXtech.com

Tony Pydych Director of Business Development Pacific Northwest USA (425) 221-3243 tpydych@ConXtech.com

Conxtech Headquarters 6600 Koll Center Parkway, Suite 210 Pleasanton, CA 94566 T (510) 264-9111 F (510) 264-1181 CA Contractor's License NO. 855525

conxtech.com/conx-portfolio/data-centers

**O**)